



Wrench, Striking Open End




Number	S mm	L mm	Be-Cu g	Al-Cu g
141-17	17	130	133	120
141-18	18	135	150	135
141-19	19	140	172	155
141-22	22	155	252	230
141-24	24	165	305	275
141-26	26	172	350	320
141-27	27	175	385	350
141-28	28	178	415	380
141-29	29	182	430	395
141-30	30	185	515	470
141-32	32	195	585	535
141-36	36	210	851	780
141-38	38	216	910	830
141-41	41	225	1055	965
141-42	42	228	1115	1020
141-45	45	237	1220	1115
141-46	46	240	1245	1140
141-50	50	255	1580	1445
141-52	52	261	1730	1585
141-55	55	270	1865	1705
141-56	56	273	1970	1810
141-60	60	285	2205	2015
141-63	63	297	3005	2740
141-65	65	305	3060	2805
141-70	70	325	3620	3310
141-75	75	345	3905	3570
141-76	76	349	4150	3810
141-80	80	365	4845	4440
141-90	90	385	5370	4920

Wrench, Striking Box



Number	S mm	L mm	Be-Cu g	Al-Cu g
160-17	17	108	105	95
160-19	19	117	135	125
160-22	22	127	192	185
160-24	24	138	270	250
160-26	26	146	320	295
160-27	27	150	350	320
160-28	28	154	365	330
160-30	30	163	460	420
160-32	32	177	610	555
160-34	34	192	690	630
160-36	36	208	780	710
160-38	38	215	875	805
160-40	40	222	895	815
160-41	41	225	985	902
160-42	42	229	1010	920
160-45	45	239	1150	1050
160-46	46	243	1275	1160
160-50	50	254	1545	1410
160-52	52	258	1570	1430
160-55	55	264	1720	1560
160-60	60	275	2080	1880
160-65	65	286	2440	2202
160-70	70	298	2735	2470
160-75	75	311	3190	2905
160-80	80	325	3485	3160
160-85	85	339	3990	3650
160-90	90	355	4350	3960
160-95	95	370	5046	4560
160-100	100	387	5630	5125
160-105	105	405	6250	5690
160-110	110	410	6480	5960
160-120	120	425	7405	6735
160-130	130	450	7905	7205
160-140	140	465	8105	7405


Wrench, Striking Box



Number	S inch	L mm	Be-Cu g	Al-Cu g
161-1002	11/16	108	105	95
161-1004	3/4	117	135	125
161-1006	7/8	127	180	165
161-1008	1	146	320	290
161-1010	1-1/16	150	350	305
161-1012	1-1/8	159	385	350
161-1014	1-3/16	163	450	385
161-1016	1-1/4	177	610	515
161-1018	1-3/8	200	660	602
161-1020	1-13/32	208	780	715
161-1022	1-1/2	215	825	755
161-1024	1-5/8	225	925	845
161-1026	1-3/4	236	1120	1025
161-1028	1-13/16	243	1230	1125
161-1030	2	254	1425	1305
161-1032	2-1/16	258	1570	1435
161-1034	2-3/16	264	1632	1490
161-1036	2-13/64	266	1760	1605
161-1038	2-5/16	273	2080	1900
161-1040	2-3/8	275	2089	1910
161-1042	2-1/2	282	2189	2002
161-1044	2-9/16	286	2420	2195
161-1046	2-5/8	291	2442	2205
161-1048	2-3/4	298	2603	2355
161-1050	2-15/16	311	3050	2765
161-1052	3	314	3063	2802
161-1054	3-1/16	319	3220	2950
161-1056	3-1/8	325	3405	3075
161-1058	3-3/8	339	3990	3650
161-1060	3-9/16	355	4350	3960
161-1062	3-3/4	370	5046	4560
161-1064	3-15/16	387	5630	5125
161-1066	4-1/8	405	6250	5690


502, Opal Square, B/h. Hotel Express, R.C. Dutt Road, Alkapuri, Vadodara-390007, Gujarat, India.
 Telephone: 0265-2333670/2325420 Email: exelloin@gmail.com

Wrench, Striking Box




Number	S mm	L mm	Be-Cu g	Al-Cu g
162-32	32	191	805	730
162-35	35	194	995	910
162-36	36	194	1000	915
162-41	41	198	1420	1295
162-46	46	201	1705	1550
162-51	51	295	2150	1965
162-55	55	298	3535	3230
162-60	60	301	4205	3845
162-65	65	330	5405	4940
162-67	67	330	5430	4950
162-70	70	362	6485	5930
162-75	75	366	7750	7080
162-79	79	446	10301	9420

Wrench, Striking Convex Box





Number	S mm	L mm	Be-Cu g	Al-Cu g
163-24	24	140	305	275
163-26	26	146	342	322
163-27	27	150	415	381
163-30	30	165	515	470
163-32	32	180	705	640
163-36	36	210	880	805
163-41	41	227	1135	1035
163-46	46	245	1435	1310
163-50	50	257	1725	1575
163-55	55	267	2005	1830
163-60	60	278	2235	2040

Wrench, Striking Box Bent



Number	S mm	L mm	Be-Cu g	Al-Cu g
164-24	24	160	310	280
164-27	27	170	440	401
164-30	30	180	505	460
164-32	32	190	655	605
164-36	36	210	865	790
164-41	41	225	1095	1003
164-46	46	240	1260	1150
164-50	50	255	1575	1440
164-55	55	270	1905	1740
164-60	60	285	2330	2130
164-65	65	300	2480	2265
164-70	70	315	2903	2650

Valve Square Driver



Number	C mm	L mm	H mm	Be-Cu g	Al-Cu g
165-6	6	110	9	65	55
165-8	8	120	10	75	61
165-9	9	140	11	90	75
165-10	10	140	12	105	85
165-11	11	160	13	130	102
165-12	12	190	14	180	145
165-13	13	200	15	185	151
165-14	14	250	16	300	261
165-16	16	250	18	335	285
165-17	17	300	19	420	366
165-19	19	350	20	740	662
165-22	22	400	22	1000	896
165-24	24	500	24	1330	1182