



## Pliers, Adjustable Combination




Number	L inch	L mm	K mm	Be-Cu g	Al-Cu g
245-1002	6	152	8	213	195
245-1004	8	203	13	323	295

## Pliers, Lineman




Number	L inch	L mm	Be-Cu g	Al-Cu g
246-1002	6	150	180	165
246-1004	7	175	306	280
246-1006	8	200	405	370
246-1008	10	250	502	460

## Pliers, Cutting




Number	L inch	L mm	Be-Cu g	Al-Cu g
247-1002	8	200	470	420

## Pliers, Diagonal Cutting




Number	L inch	L mm	Be-Cu g	Al-Cu g
248-1002	6	150	205	188
248-1004	8	200	310	284

## Pincers




Number	L inch	L mm	Be-Cu g	Al-Cu g
249-1002	8	190	325	300

## Pliers, Flat Nose




Number	L inch	L mm	Be-Cu g	Al-Cu g
250-1002	6	150	165	151
250-1004	8	200	281	257

## Pliers, Groove Joint




Number	L inch	L mm	K max mm	Be-Cu g	Al-Cu g
251-1002	6	150	25	150	137
251-1004	10	250	45	453	414
251-1006	12	300	55	745	700
251-1008	14	360	55	790	723

## Pliers, Slip Joint




Number	L inch	L mm	K max mm	Be-Cu g	Al-Cu g
252-1002	10	250	32	365	335

## Pliers, Snipe Nose




Number	L inch	L mm	L <sub>1</sub> mm	Be-Cu g	Al-Cu g
253-1002	6	150	54	165	151

## Pliers, Long Nose




Number	L inch	L mm	L <sub>1</sub> mm	Be-Cu g	Al-Cu g
254-1002	8	200	74	305	280

## Pliers, Round Nose




Number	L inch	L mm	Be-Cu g	Al-Cu g
255-1002	6	150	145	133

## Pliers, Snap Ring-Internal




Number	L inch	L mm	Be-Cu g	Al-Cu g
256-1002	8	200	280	256
256-1004	10	250	415	380

## Pliers, Snap Ring-External



Number	L inch	L mm	Be-Cu g	Al-Cu g
257-1002	8	200	290	265
257-1004	10	250	415	380

## Tweezer



Number	L mm	Be-Cu g
258-1002	150	25
258-1004	200	40